

DH-MPT230

Dahua Body Camera



Series Overview

With its ergonomic design, the Body Camera is both easy to carry and convenient to use. By just the press of a button, it can take pictures, and record videos and audios while an event is occurring, and directly upload recording files to the Data Collection Station or platform. Through the 4G network, it can also cooperate with the platform to perform functions such as live video, group talk and alarm event handling.

Functions

Wide-angle View

With its 146° ultra-wide-angle lens, the device offers a broader range for capturing images.

OSD Information

The OSD displays the time, user, device, task and GPS information. Two pieces of OSD information can be customized.

Capture the Truth in Any Situation

With a simple press of a button, the device effortlessly records videos and audios, and captures images to preserve crucial information of any given event.

Interaction with the Control Center

When working with the Dahua platform, the device can send alarm and GPS information and perform PTT voice talk through one button, making it convenient for officers to communicate with their headquarters in real time.

- Comes with an 8-core 2.0 GHz high-performance processor and the Android 11.0 system.
- Built-in 64 GB internal storage and supports expanding storage to 256 GB.
- · 2.4-inch capacitive touchscreen
- · Supports dual streaming and H.265/H.264 video compression.
- Video resolution up to 2560 × 1440 and image resolution up to 49 MP (9408 × 5292).
- Includes an LED light and IR light for clearer videos and images in dark locations.
- The IR light can be automatically or manually switched on, making outlines within 10 meters clearly visible.
- Advanced EIS algorithms that allow the device to take clear and stable images when it is in motion.
- · Advanced AES-256 encryption technology for video recording.
- Supports self-adaptive network streaming, and adjusting the stream according to the network conditions to ensure smooth video preview.
- Offers AI functions such as face detection and license plate recognition.
- Supports 2G, 3G and 4G cellular networks, Wi-Fi, Bluetooth and using GPS and GLONASS positioning.
- Supports the automatic calibration of the time through the platform, satellite, or cellular network.
- It is IP68 rated, and received rigorous testing with four 2-meter drop tests.

Emergency Handling

In the event of an emergency, pressing the SOS button will promptly send alarms to the platform. The emergency can also be conveniently reported on directly from the scene using the audio talk function. After the emergency is received, the platform will swiftly dispatch necessary personnel to the GPS location displayed on the map, prioritizing the safety of individuals on-site.


Technical Specification		IR Switching Mode	Supports the manual and auto modes (it is manual by
System			default).
Operating System	Android 11.0	Max. IR Distance	Sees faces up to 5 m away and outlines up to 10 m away.
RAM	4 GB		When the lighting falls below 1.8 lux, the device switches to B/W mode. When the lighting is above 12 lux, the device switches to Color mode.
Storage Capacity	64 GB	Day/Night Illumination	
Screen		Min. Illumination	0.0001 lux (B/W)
Screen Size	2.4"	White Balance	Auto
Brightness	450 cd/m ²	LED Flashing Light	1
Contrast	800:1	Audio Compression	G711a
Resolution	240 (H) × 320 (V)	Audio Sampling	8 kHz, 16 bit
Screen Type	IPS	Audio Format	WAV; DAV
Touchscreen Type	Capacitive touchscreen		
Camera		Key Mark	Yes
Max. Aperture	Rear camera: F2.0	Wireless Parameters	
Field of View	Front camera: F2.2 Rear camera: H: 125°; D: 146° Front camera: H: 80°; D: 82°	Wirelss Network Frequency Band	GSM:850/900/1800/1900; WCDMA:850/900/1900/2100; EVDO: 800; TDD-LTE:B38/B39/B40/B41; FDD-LTE:B1/B2/B3/B4/B5/B7/B8/B20/B28
Focal Length	Rear camera: 2.45 mm Front camera: 2.23 mm	Wi-Fi	2.4 GHz/5 GHz, 802.11 a/b/g/n/ac
Focus Control	Rear camera: Fixed focal Front camera: Fixed focal	Bluetooth	Bluetooth 5.0
Image Stabilization	Electronic Image Stabilization (EIS)	NFC	13.56 MHz; NFC Forum Type 1/2/3/4/5 tags;
Audio/Video			ISO/EC 15693
Video Compression	H.265;H.264		GPS; GLONASS; Galileo Positoning accuracy: In outdoor locatons with few obstacles, the accuracy has a margin of error of 15 meters.
Video Format	DAV;MP4	Positioning	
	Rear camera: 2560 × 1440@30/25/20/15 fps; 1920 × 1080@30/25/20/15 fps; 1280 × 720@30/25/20/15 fps; 864 × 480@30/25/20/15 fps Front camera: 1080 × 1920@30/25/20/15 fps; 720 × 1280@30/25/20/15 fps; 480 × 864@30/25/20/15 fps	Function	
Video Resolution/Frame Rate		Cyber Security	Configuration encryption;Account lockout;Security logs;IP/MAC filtering;AES256 video encryption;AES256 file encryption
		Voice Prompt	Supports voice broadcast prompts.
	Main stream: 2560 × 1440@30/25/20/15 fps: 4M/6M/8Mbps 1920 × 1080@30/25/20/15 fps: 2M/4M/6Mbps 1280 × 720@30/25/20/15 fps: 1M/2M/3Mbps 864 × 480@30/25/20/15 fps: 512K/1M/2Mbps Stream acquisiton: 1920 × 1080@30/25/20/15 fps: 1.5M/2M/4Mbps 1280 × 720@30/25/20/15 fps: 1.5M/2M/3Mbps 864 × 480@30/25/20/15 fps: 768K/1M/2Mbps	OSD Overlay	Time; user ID; device ID; latitude and longitude; task ID; custom 1; custom 2
Video Bit Rate		Network Protocol	Private protocol (auto registration); RTSP; FTP
		Shortcut Function	With the press of a button, it records videos and audios, takes pictures, turns on IR, sends alarm, performs PTT voice talk and flags files.
		Face Detection / Face Recognition	Yes
Image Resolution	Supports up to 49 MP (9408 × 5292), and 34 MP, 16 MP, 4 MP and 0.4 MP can be set.	ANPR	Yes
Image Encoding Format	JPG	Port	
Continuous Shots	Supports taking 2, 3, 5, and 10 continuous snapshots.	USB	1 × Type-C USB 2.0 port
Video Packaging Time	Can be set as 5, 10, 20 or 30 minutes.	External Port	6-Pin metal port (connects through the Pogo Pin
Pre-Record/Post-Record	Pre-recording time reaches 120 sec and post-recording		connector)
	reaches 600 sec.	General SIM Card Slot	2 x Nano SIM card clat
Distortion Correction	Yes	SIM Card Slot	2 × Nano SIM card slot
		Microphone	2

Body Camera | DH-MPT230

Speaker	1, 1.5 W power	
Button	Power on/off; flag files; record videos; take pictures; PTT voice talk; record audios; SOS; Fn custom; turn on/off IR	
Indicator Light	1, 3-Color light indicates status and charging status	
Sensor	Gyroscope; gravity acceleration sensor; photosensitive sensor; geomagnetic sensor	
Battery Capacity	Large battery: 3200 mAh (4.35 V) Small battery: 50 mAh (4.35 V); it supports uninterrupted battery replacement for up to 5 minutes.	
Battery Detachability	Yes	
Charging	5 VDC, 2 A	
Operating Time	Lasts up to 10 hours (when in airplane mode with recording set as 1080p@30 fps, and all the lights and screen are turned off)	
Standby Time	168 hours	
Charging Time	3 hours	
Protection	The bare machine is IP68 rated, and received rigorous testing with four 2-meter drop tests.	
Operating Temperature	-20 °C to +55 °C (-4 °F to +158 °F)	
Operating Humidity	<95% (RH), non-condensing	
Net Weight	183 g (0.40 lb) (battery included, without back clip)	
Gross Weight	560 g (1.23 lb) (package included)	
Product Dimensions	106 mm × 64 mm × 34 mm (4.17" × 2.52" × 1.34") (L × W × H)	
Packaging Dimensions	167 mm × 138 mm × 64 mm (6.57" × 5.43" × 2.52") (L × W × H)	
Accessory	Type-C USB charging cable; 5 V 2 A power adapter; clip	
Certifications	CE	

Ordering Information				
Туре	Model	Description		
Body Camera	DH-MPT230	Dahua Body Camera		

Dimensions (mm[inch])



Panels









