

# XINGHAN LARGE-SCALE AI MODELS

CONSTANT EVOLUTION FOR THE INTELLIGENT AIOT FUTURE

\* Design and specifications are subject to change without no

Ver. 1, Oct. 2025





# INTRODUCING XINGHAN

LARGE-SCALE AI MODELS


Named after the Chinese word for galaxy, Xinghan represents our ambition to process "cosmic-level" information, to find structure in complexity, uncover patterns at scale, and illuminate the AloT future for our clients through a deeper form of understanding.

It reflects a vision that speaks not only of the vastness above


It reflects a vision that speaks not only of the vastness above, but also of the brilliance within.

Launched in 2025, the Xinghan Large-Scale Al Models are designed to evolve with industry needs. Trained on massive real-world datasets and powered by visual analytics, it combines domain expertise with advanced multimodal learning capabilities.





# A SYSTEM OF STRUCTURED INTELLIGENCE



## **CORE CAPABILITIES**



#### Xinghan Vision Models

Visual-centric intelligence for high-performance visual analytics and understanding



#### Xinghan Multimodal Models

Multimodal fusion that enables the convergence of images, text, video and audio





FROM ACCURACY TO PRECISION



FROM
INDIVIDUALIZATION
TO CENTRALIZED
APPLICATIONS



FROM RECOGNITION TO UNDERSTANDING



FROM STATIC
REACTION TO DYNAMIC
ADAPTATION



ENHANCED LANGUAGE AND MULTIMODAL CAPABILITIES



#### Xinghan Language Models

Language-driven interaction focused on understanding, reasoning, and contextual communication

# XINGHAN VISION MODELS

**Perimeter Protection** 


WizTracking

Scene Adaptive

**Crowd Map** 

# TRAINING METHODS AND PROCESSES

Streamline target categories by focusing on key objects - humans, motor vehicles, and non-motor vehicles - to reduce model complexity while preserving high accuracy in Xinghan Vision Models for industrial domain applications.



Broad in scope but shallow in specificity

Increased professionalism and task orientation

More targeted, with a focus on specific products and business objectives

05

# PERIMETER PROTECTION LONGER DETECTION RANGE

The Xinghan Vision Models extends the coverage and range of perimeter detection by accurately identifying smaller targets.


#### **CNN AI Models**



Ideal conditions for detection:

- Required Target Pixels ≥ 45\*45 pixels
- Longest detection distance is only up to 40m

#### Xinghan Vision Models 🕲



Ideal conditions for detection:

- Required Target Pixels ≥ 20\*20 pixels
- Detection distance increased by 50%, up to 60m

# PERIMETER PROTECTION AI RULE ASSIST

Al Rule Assist is an industry innovation feature designed to simplify the setup of perimeter protection systems. Powered by Xinghan Vision Models, it uses advanced scene analysis to automatically recommend optimal intrusion rule settings based on the layout and environment, minimizing the need for manual drawing.

#### Xinghan Vision Models 🕲







Pond / Pool



Garden / Backyard



#### Highlights

1. One-Click Setup

Users can quickly configure perimeter rules with just one click

Automated Analysis for Greater Efficiency

Automatically parseas scenes and generates intrusion rules, significantly reducing setup time.

3. High-Accuracy Scene Recognition

It deeply understands scene structures and intelligently filters out non-intrusion areas. 4. Industry-First Innovation

As the first of its kind, AI Rule Assist minimizes the learning curve and sets a new benchmark for workflow optimization.

Compared with CNN AI models, Xinghan large-scale AI models achieve

50% increase in detection distance


98%
accuracy
maintained

achieves
92%
false-alarm reduction

\*Detection distance data above is based on IPC-5 Series, 4MP, 3.6mm lens model.
\*Result based on standard setup and test environment.

# PERIMETER PROTECTION **ANIMALS DETECTION**

Capable of identifying 10+ animal species with over 90% detection accuracy. It enables precise, species-specific alerts, reducing false alarms and enhancing safety in farms, wildlife zones, etc.














types of animal species



# WIZTRACKING

The WizTracking feature of the Xinghan Vision Models can handle complex occlusions and variations in target posture, achieving a 50% improvement in accuracy. Now integrated into our PTZ dome cameras, WizTracking significantly enhances continuous tracking capabilities.

Increased accuracy rate

Xinghan Vision Models 🔘

#### **Human Body Keypoint Tracking Technology for Occluded Target**



# **CNN AI Models**

## Multi-posture Tracking Technology for Variations in Target Posture







Climbing Over a Wall



\*Result based on standard setup and test environment.











Posture Changed (Keep Tracking)

# SCENE ADAPTIVE - AI WDR

The Xinghan Vision Models leverage situational awareness to analyze both spatial and contextual characteristics of a scene, enabling intelligent and automated configuration of WDR for cameras.

#### Xinghan Vision Models 🕲





- Target's facial details are obscured due to low lighting
- Overall image brightness is insufficient



- Facial details of the target are clearly visible
- Bright areas are well-balanced and not overexposed

# **CROWD MAP**

The Xinghan Vision Models' Crowd Map significantly enhances small-target detection at long distances and features umbrella compensation. With robust performance in dense crowds and low-light environments, the system delivers more accurate and reliable crowd management across diverse scenarios.

#### Xinghan Vision Models 🔯







\*Result based on standard setup and test environment.

#### PRODUCTS - IPC

#### **IPC-3 SERIES**

IPC-3x49-IL IPC-3x49-PV-PRO









- Scene Adaptive: AI WDR
- 1/1.8" sensor, F1.0 aperture
- WizColor Technology (-Pro Series)

### **IPC-5 SERIES**

IPC-5x59-IL IPC-5X59-PV-PRO











- 1/1.8" sensor, F1.0 aperture
- WizColor Technology (-Pro Series)
- PTRZ Dome, easy installation

#### **IPC-7 SERIES**

IPC-7x59-PV







- AI-ISP, G-Sensor, TPM2.0
- High Frame Rate:
- 2MP@120fps, 8MP@60fps
- PTRZ Dome, easy installation

#### **SD4D SERIES**

SD4D825MB-HNR





PRODUCTS - PTZ



- WizTracking
- 8MP resolution
- 25x optical zoom
- IP67 protection

**SD6E SERIES** 

SD6E825MA-HNR

SD6Ex45MB-HNR

- · Perimeter Protection: Longer detection distance Less false alarms **Animals Detection**
- WizTracking
- 45/25x optical zoom
- IR distance up to 250m
- IP67, IK10 protection

#### **SD8X SERIES** SD8X8(4)42FA-HNF



 Perimeter Protection: Longer detection distance Less false alarms

- WizTracking
- 42x optical zoom
- IR distance up to 600m
- Built-in gyroscope to ensure stable image output
- Smart PT Correction

#### SDT3 / 4E SERIES

SDT3E410-8P-MB-A-PV1 SDT4Ex25-4F-GB-A-PV1 SDT4E425-8P-GB-A-PV1





- · Perimeter Protection: Longer detection distance Less false alarms
- Captures large area and details at the same time

#### **SDT6E SERIES**

SDT6E425(32)-8P-MB-A-PVI



- · Perimeter Protection: Longer detection distance Less false alarms
- WizTracking
- Captures large area and details at the same time

#### **PTZ83 SERIES**

PTZ83440-HNR-GA-S



 Perimeter Protection: Longer detection distance Less false alarms **Animals Detection** 

- WizTracking
- 42x optical zoom
- Built-in gyroscope to ensure stable image output

#### **IPC-5 SERIES**

IPC-MFW5241T2-E3-ASE



- Perimeter Protection: Longer detection distance (140m) Less false alarms
- Independent stream and flexstream
- 3 x 2MP resolution
- Dual mic & speaker, micro PTZ, easy installation

#### **IPC-HUBBLE SERIES**

PSDW81652S-A360-D440 PSDW8852S-A180-D440



· Crowd Map:

Max Detection Number - up to 5000 person Detection Distance - up to 60m **Umbrella Models Compensation** 

- 180° / 360° panoramic surveillance
- 40x PTZ
- IP67, IK10 protection
- 36 VDC or PoE++ power supply

# \* XINGHAN MULTIMODAL MODELS


WizSeek

**Text-Defined Alarms** 



# WHAT ARE MULTIMODAL MODELS?

Compared to unimodal models, which are limited to processing a single data type (e.g. text-only or image-only), multimodal models are advanced AI systems capable of simultaneously processing and deeply integrating multiple heterogeneous data types such as text, image, and video.



Multimodal Understanding

Multimodal Generation

▲ XINGHAN VISION MODELS - WIZSEEK



## **YOUR WORDS LEAD TO ALL ANSWERS**

Man making a phone call near a car.







## **SEARCH WIDELY**

Covers 400+ categories, from persons, vehicles, animals to signs, plants and



# SEARCH ACCURATELY

High-precision search based on Dahua Xinghan Large-scale Al Models.



### **SEARCH INSTANTLY**

Enter a keyword or phrase to find target results within seconds.



# SEARCH FRIENDLY

User-friendly, search-like interface offers one-click access and fuzzy search.



\*WizSeek must operate in compliance with local laws and regulations. Searches involving politically sensitive content, pornography, criminal incitement, privacy violations, or hate and discrimination are strictly prohibited. In such cases, no results will be displayed, and the system will prompt. "Avoid using prohibited words.".

# **TEXT-DEFINED ALARMS**

Generate Al with Text, Deploy Alarms in Seconds



A person carrying a red backpack







#### **ZERO TECHNICAL BARRIERS**

Generate custom algorithms with just words, no coding needed.



#### **INSTANT DEPLOYMENT**

Turn text descriptions into real-time alarms within seconds.



#### **LOW-COST OPERATION**

Slash expensive data collection and model training costs.

# 88

#### **MULTI-SCENARIO ADAPTABILITY**

Adapt to diverse scenarios with simple text inputs.

# HOW TO OPTIMIZE TEXT-DEFINED ALARMS?

The **Self-Learning Algorithm** allows for on-device training and optimization on the same IVSS, enabling algorithms to grow smarter and more accurate with every use.



## PRODUCTS - NVR / IVD AND IVSS SERIES

#### NVR5-AI/ANZ-PRO Series

- Supports up to 64-channel WizSeek (with AcuPick cameras).
- Supports Text-Defined Alarms.
- Supports up to 64-channel AcuPick (with AcuPick cameras).
- 40ch@1080P decoding capacity.
- Max. 512 Mbps incoming/recording/outgoing bandwidth.
- Supports 8K HDMI output.



#### **IVSS71-I Series**

- Up to 256-ch IP camera inputs, 8/12/16/24 bays.
- Up to 160-ch WizSeek with AcuPick cameras by min. 1 card in Multimodal Large Model Mode.
- Each Al card supports 16-ch AcuPick with normal cameras in Intelligent Analysis Mode.
- Supports Text-Defined Alarms.
- Supports Self-Learning to optimize Text-Defined Alarms.
- Up to 28-ch@1080p decoding capacity.
- Max. 768 Mbps incoming/recording/outgoing bandwidth.
- Supports 10+ industrial algorithms and multi-algorithm deployment per channel.



#### IVD5148-I Series

- Up to 48-ch IP camera inputs, 1 bay.
- Up to 32-ch WizSeek with AcuPick cameras by min. 1 card in Multimodal Large Model Mode.
- Each AI card supports 16-ch AcuPick with normal cameras in Intelligent Analysis Mode.
- Supports Text-Defined Alarms.
- Up to 16-ch@1080P decoding capacity.
- Max. 256 Mbps incoming/recording/outgoing bandwidth.
- Supports 10+ industrial algorithm and multi-algorithm deployment per channel.

#### **IVSS51-I Series**

- Up to 64-ch IP camera inputs, 8 bays.
- Up to 64-ch WizSeek with AcuPick cameras by min. 1 card in Multimodal Large Model Mode.
- Each Al card supports 16-ch AcuPick with normal cameras in Intelligent Analysis Mode.
- Supports Text-Defined Alarms.
- Up to 20-ch@1080P decoding capacity.
- Max. 384 Mbps incoming/recording/outgoing bandwidth.
- Supports 10+ industrial algorithms and multi-algorithm deployment per channel.







APPLICATIONS - CITY BUSINESS APPLICATIONS

# **CITY BUSINESS APPLICATIONS**



- Real-time incident detection and proactive early warning, minimizing response delays.
- Dynamic, context-aware video search for post-event investigation, enhancing efficiency and operational precision.



- Complex event detection and understanding: congestion, collisions, illegal parking and lane changes.
- Real-time traffic flow monitoring and anomaly alerts.



- Al-based tagging and scene classification for contextual awareness.
- Auto-recommendation of detection algorithms based on location and risk level.
- Reduced manual rule-setting and accelerated large-scale deployment.

# **ENTERPRISE BUSINESS APPLICATIONS**



- Intelligent perimeter protection with thermal imaging integration.
- Remote, AI-powered inspection of meters and facilities, minimizes manual patrols in hazardous areas and significantly reduces false alarms.



- Real-time monitoring of safety compliance (e.g., PPE violations, unsafe actions).
- Minimize manual operations in hazardous conditions, reducing exposure and labor intensity.



- Intelligent remote inspections and real-time safety checks.
- Instant alerts for unauthorized access or abnormal behavior.
- Environmental monitoring (e.g., emissions, waste, fire risks, etc.)

23